



CERTIFICATE OF ANALYSIS

Laboratory sample ID	: PR1946848004	Work Order	: PR1946848
Amendment	: 1	Issue Date	: 18-Jun-2019
Customer	: ALS DENMARK A/S	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Modtag	Contact	: Client Service
Address	: Bakkegardsvej 406 A 3050 Humlebaek Denmark	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: modtag@milana.dk	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: (3.6.19) 506799	Page	: 1 of 8
Order number	: ----	Date Samples Received	: 13-May-2019
Site	: ----	Quote number	: PR2012ALSSC-DK0006 (CZ-250-11-0704)
Sampled by	: client	Date of test	: 13-May-2019 - 30-May-2019
		QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory.

The laboratory declares that the test results relate only to the listed samples.

Amendment no. 1: Change of COA format to MultiOne. This Amendment no. 1 supersedes test report no. PR1946848 dated 30.5.2019.

Signatories

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2005

Signatories
Zdeněk Jirák

Position
Environmental Business Unit
Manager





Analytical Results

Sub-Matrix: WATER				Laboratory sample ID	75354/19	
				Client sampling date / time	[13-May-2019]	
Parameter	Method	LOR	Unit	Result	MU	
Organochlorine Pesticides						
Hexachloroethane	W-OCPECD01	0.010	µg/L	<0.010	---	
Hexachlorobutadiene	W-OCPECD01	0.010	µg/L	<0.010	---	
1.2.3.5- & 1.2.4.5-Tetrachlorobenzene	W-OCPECD01	0.020	µg/L	<0.020	---	
1.2.3.4-Tetrachlorobenzene	W-OCPECD01	0.010	µg/L	<0.010	---	
Pentachlorobenzene	W-OCPECD01	0.010	µg/L	<0.010	---	
Trifluralin	W-OCPECD01	0.010	µg/L	<0.010	---	
Hexachlorocyclohexane Alpha	W-OCPECD01	0.010	µg/L	<0.010	---	
Hexachlorobenzene (HCB)	W-OCPECD01	0.0050	µg/L	<0.0050	---	
Hexachlorocyclohexane Beta	W-OCPECD01	0.010	µg/L	<0.010	---	
Hexachlorocyclohexane Gamma	W-OCPECD01	0.010	µg/L	<0.010	---	
Hexachlorocyclohexane Delta	W-OCPECD01	0.010	µg/L	<0.010	---	
Hexachlorocyclohexane Epsilon	W-OCPECD01	0.010	µg/L	<0.010	---	
Alachlor	W-OCPECD01	0.010	µg/L	<0.010	---	
Heptachlor	W-OCPECD01	0.010	µg/L	<0.010	---	
Aldrin	W-OCPECD01	0.0050	µg/L	<0.0050	---	
Telodrin	W-OCPECD01	0.010	µg/L	<0.010	---	
Isodrin	W-OCPECD01	0.010	µg/L	<0.010	---	
Heptachloroepoxide-cis	W-OCPECD01	0.010	µg/L	<0.010	---	
Heptachloroepoxide-trans	W-OCPECD01	0.010	µg/L	<0.010	---	
2.4-DDE	W-OCPECD01	0.010	µg/L	<0.010	---	
alpha-Endosulfan	W-OCPECD01	0.010	µg/L	<0.010	---	
4.4'-DDE	W-OCPECD01	0.010	µg/L	<0.010	---	
Dieldrin	W-OCPECD01	0.010	µg/L	<0.010	---	
2.4-DDD	W-OCPECD01	0.010	µg/L	<0.010	---	
Endrin	W-OCPECD01	0.010	µg/L	<0.010	---	
beta-Endosulfan	W-OCPECD01	0.010	µg/L	<0.010	---	
4.4'-DDD	W-OCPECD01	0.010	µg/L	<0.010	---	
2.4-DDT	W-OCPECD01	0.010	µg/L	<0.010	---	
4.4'-DDT	W-OCPECD01	0.010	µg/L	<0.010	---	
Methoxychlor	W-OCPECD01	0.010	µg/L	<0.010	---	
Dichlobenil	W-OCPECD01	0.050	µg/L	<0.050	---	
Organophosphorus Pesticides						
Carbophenothion	W-PESGMS01	0.050	µg/L	<0.050	---	
Demeton-S-methyl	W-PESGMS01	0.10	µg/L	<0.10	---	
Fenitrothion	W-PESGMS01	0.050	µg/L	<0.050	---	
Fenthion	W-PESGMS01	0.050	µg/L	<0.050	---	
Parathion-methyl	W-PESGMS01	0.050	µg/L	<0.050	---	
Prothiophos	W-PESGMS01	0.050	µg/L	<0.050	---	
Pesticides						
1-(3,4-Dichlorophenyl) urea (DCPU)	W-PESLMS02	0.050	µg/L	<0.050	---	
2.4.5-T	W-PESLMS04	0.050	µg/L	<0.050	---	
2.4.5-TP	W-PESLMS04	0.050	µg/L	<0.050	---	



2.4-D	W-PESLMS04	0.050	µg/L	<0.050	---
2.4-DB	W-PESLMS04	0.050	µg/L	<0.050	---
2.4-DP (isomers)	W-PESLMS04	0.050	µg/L	<0.050	---
2-amino-N-(isopropyl)benzamide	W-PESLMS02	0.050	µg/L	<0.050	---
2-Chloro-2.6-diethylacetanilide	W-PESLMS02	0.050	µg/L	<0.050	---
4-CPP	W-PESLMS04	0.050	µg/L	<0.050	---
Acetamiprid	W-PESLMS02	0.050	µg/L	<0.050	---
Acetochlor	W-PESLMS02	0.050	µg/L	<0.050	---
Acibenzolar-S-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Acifluorfen	W-PESLMS04	0.050	µg/L	<0.050	---
Aclonifen	W-PESLMS02	0.050	µg/L	<0.050	---
Aldicarb	W-PESLMS02	0.050	µg/L	<0.050	---
Aldicarb sulfone	W-PESLMS02	0.050	µg/L	<0.050	---
Ametryn	W-PESLMS02	0.050	µg/L	<0.050	---
Amidosulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Aminopyralide	W-PESLMS04	0.050	µg/L	<0.050	---
Atraton	W-PESLMS02	0.050	µg/L	<0.050	---
Atrazine	W-PESLMS02	0.050	µg/L	<0.050	---
Atrazine-2-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---
Atrazine-desethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Atrazine-desisopropyl	W-PESLMS02	0.050	µg/L	<0.050	---
Azinphos-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Azinphos-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Azoxystrobin	W-PESLMS02	0.050	µg/L	<0.050	---
BAM	W-PESLMS02	0.050	µg/L	<0.050	---
BDMC	W-PESLMS02	0.050	µg/L	<0.050	---
Benalaxyl	W-PESLMS02	0.050	µg/L	<0.050	---
Bendiocarb	W-PESLMS02	0.050	µg/L	<0.050	---
Bentazone	W-PESLMS04	0.050	µg/L	<0.050	---
Bentazone methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Bifenox	W-PESLMS02	0.050	µg/L	<0.050	---
Bitertanol	W-PESLMS02	0.050	µg/L	<0.050	---
Boscalid	W-PESLMS02	0.050	µg/L	<0.050	---
Bromacil	W-PESLMS02	0.050	µg/L	<0.050	---
Bromophos-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Bromoxynil	W-PESLMS04	0.050	µg/L	<0.050	---
Cadusafos	W-PESLMS02	0.050	µg/L	<0.050	---
Captan	W-PESGMS01	0.050	µg/L	<0.050	---
Carbaryl	W-PESLMS02	0.050	µg/L	<0.050	---
Carbendazim	W-PESLMS02	0.050	µg/L	<0.050	---
Carbetamide	W-PESLMS02	0.050	µg/L	<0.050	---
Carbofuran	W-PESLMS02	0.050	µg/L	<0.050	---
Carbofuran-3-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---
Carboxin	W-PESLMS02	0.050	µg/L	<0.050	---
Carfentrazone-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorbromuron	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorfenvinphos	W-PESLMS02	0.050	µg/L	<0.050	---
Chloridazon	W-PESLMS02	0.050	µg/L	<0.050	---



Chloridazon-desphenyl	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorotoluron	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorotoluron-desmethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Chloroxuron	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorpropham	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorpyrifos	W-PESLMS02	0.0500	µg/L	<0.0500	---
Chlorpyrifos-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Chlorsulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Clodinafop	W-PESLMS02	0.050	µg/L	<0.050	---
Clomazone	W-PESLMS02	0.050	µg/L	<0.050	---
Clomeprop	W-PESLMS02	0.050	µg/L	<0.050	---
Clopyralid	W-PESLMS04	0.050	µg/L	<0.050	---
Clothianidin	W-PESLMS02	0.050	µg/L	<0.050	---
Coumaphos	W-PESLMS02	0.050	µg/L	<0.050	---
Crimidine	W-PESLMS02	0.050	µg/L	<0.050	---
Cyanazine	W-PESLMS02	0.050	µg/L	<0.050	---
Cybutryne (Irgarol)	W-PESLMS02	0.050	µg/L	<0.050	---
Cymoxanil	W-PESLMS02	0.050	µg/L	<0.050	---
Cyprazine	W-PESLMS02	0.050	µg/L	<0.050	---
Cyproconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Cyprodinil	W-PESLMS02	0.050	µg/L	<0.050	---
Cyromazine	W-PESLMS02	0.050	µg/L	<0.050	---
Desmetryn	W-PESLMS02	0.050	µg/L	<0.050	---
Diazinon	W-PESLMS02	0.050	µg/L	<0.050	---
Dicamba	W-PESLMS04	0.050	µg/L	<0.050	---
Dichlofenthion	W-PESLMS02	0.050	µg/L	<0.050	---
Dichlormid	W-PESLMS02	0.050	µg/L	<0.050	---
Dichlorvos	W-PESLMS02	0.050	µg/L	<0.050	---
Diclofop	W-PESLMS04	0.050	µg/L	<0.050	---
Dicrotophos	W-PESLMS02	0.050	µg/L	<0.050	---
Diethofencarb	W-PESLMS02	0.050	µg/L	<0.050	---
Difenacoum	W-PESLMS02	0.050	µg/L	<0.050	---
Difenoconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Difenoхuron	W-PESLMS02	0.050	µg/L	<0.050	---
Diflubenzuron	W-PESLMS02	0.050	µg/L	<0.050	---
Diflufenican	W-PESLMS02	0.050	µg/L	<0.050	---
Dimefuron	W-PESLMS02	0.050	µg/L	<0.050	---
Dimethachlor	W-PESLMS02	0.050	µg/L	<0.050	---
Dimethenamid	W-PESLMS02	0.050	µg/L	<0.050	---
Dimethoate	W-PESLMS02	0.050	µg/L	<0.050	---
Dimethomorph	W-PESLMS02	0.050	µg/L	<0.050	---
Dinoseb	W-PESLMS04	0.050	µg/L	<0.050	---
Dinoterb	W-PESLMS04	0.050	µg/L	<0.050	---
Diuron	W-PESLMS02	0.050	µg/L	<0.050	---
Diuron desmethyl (DCPMU)	W-PESLMS02	0.050	µg/L	<0.050	---
DNOC	W-PESLMS04	0.050	µg/L	<0.050	---
Epoxiconazole	W-PESLMS02	0.050	µg/L	<0.050	---
EPTC	W-PESLMS02	0.050	µg/L	<0.050	---



Ethiofencarb	W-PESLMS02	0.050	µg/L	<0.050	---
Ethion	W-PESLMS02	0.050	µg/L	<0.050	---
Ethofumesate	W-PESLMS02	0.050	µg/L	<0.050	---
Ethoprophos	W-PESLMS02	0.050	µg/L	<0.050	---
Fenamiphos	W-PESLMS02	0.050	µg/L	<0.050	---
Fenarimol	W-PESLMS02	0.050	µg/L	<0.050	---
Fenhexamid	W-PESLMS02	0.050	µg/L	<0.050	---
Fenoxaprop	W-PESLMS02	0.050	µg/L	<0.050	---
Fenoxycarb	W-PESLMS02	0.050	µg/L	<0.050	---
Fenpropidin	W-PESLMS02	0.050	µg/L	<0.050	---
Fenpropimorph	W-PESLMS02	0.050	µg/L	<0.050	---
Fensulfothion	W-PESLMS02	0.050	µg/L	<0.050	---
Fenuron	W-PESLMS02	0.050	µg/L	<0.050	---
Fipronil	W-PESLMS02	0.050	µg/L	<0.050	---
Florasulam	W-PESLMS02	0.050	µg/L	<0.050	---
Fluazifop	W-PESLMS02	0.050	µg/L	<0.050	---
Fluazifop-butyl (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---
Fluroxypyr	W-PESLMS04	0.050	µg/L	<0.050	---
Flusilazole	W-PESLMS02	0.050	µg/L	<0.050	---
Flutolanil	W-PESLMS02	0.050	µg/L	<0.050	---
Fonofos	W-PESLMS02	0.050	µg/L	<0.050	---
Foramsulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Furathiocarb	W-PESLMS02	0.050	µg/L	<0.050	---
Haloxifop	W-PESLMS02	0.050	µg/L	<0.050	---
Haloxifop-methyl (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---
Hexaconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Hexazinone	W-PESLMS02	0.050	µg/L	<0.050	---
Hexythiazox	W-PESLMS02	0.050	µg/L	<0.050	---
Imazalil	W-PESLMS02	0.050	µg/L	<0.050	---
Imazamethabenz-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Imazamox	W-PESLMS02	0.050	µg/L	<0.050	---
Imazethapyr	W-PESLMS02	0.050	µg/L	<0.050	---
Imidacloprid	W-PESLMS02	0.050	µg/L	<0.050	---
Indoxacarb	W-PESLMS02	0.050	µg/L	<0.050	---
Ioxynil	W-PESLMS04	0.050	µg/L	<0.050	---
Iprodione	W-PESLMS02	0.050	µg/L	<0.050	---
Iprovalicarb	W-PESLMS02	0.050	µg/L	<0.050	---
Isoproturon	W-PESLMS02	0.050	µg/L	<0.050	---
Isoproturon-desmethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Isoproturon-monodesmethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Isopyrazam	W-PESLMS02	0.050	µg/L	<0.050	---
Kresoxim-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Lenacil	W-PESLMS02	0.050	µg/L	<0.050	---
Linuron	W-PESLMS02	0.050	µg/L	<0.050	---
Malaoxon	W-PESLMS02	0.050	µg/L	<0.050	---
Malathion	W-PESLMS02	0.050	µg/L	<0.050	---
Mandipropamid	W-PESLMS02	0.050	µg/L	<0.050	---
MCPA	W-PESLMS04	0.050	µg/L	<0.050	---



MCPB	W-PESLMS04	0.050	µg/L	<0.050	---
MCPP (isomers)	W-PESLMS04	0.050	µg/L	<0.050	---
Mecarbam	W-PESLMS02	0.050	µg/L	<0.050	---
Mefenpyr-diethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Mesosulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Mesotrione	W-PESLMS02	0.050	µg/L	<0.050	---
Metalaxyl (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---
Metamitron	W-PESLMS02	0.050	µg/L	<0.050	---
Metazachlor	W-PESLMS02	0.050	µg/L	<0.050	---
Metconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Methabenzthiazuron	W-PESLMS02	0.050	µg/L	<0.050	---
Methamidophos	W-PESLMS02	0.050	µg/L	<0.050	---
Methidathion	W-PESLMS02	0.050	µg/L	<0.050	---
Methiocarb	W-PESLMS02	0.050	µg/L	<0.050	---
Methomyl	W-PESLMS02	0.050	µg/L	<0.050	---
Methoxyfenozide	W-PESLMS02	0.050	µg/L	<0.050	---
Metobromuron	W-PESLMS02	0.050	µg/L	<0.050	---
Metolachlor (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---
Metoxuron	W-PESLMS02	0.050	µg/L	<0.050	---
Metribuzin	W-PESLMS02	0.050	µg/L	<0.050	---
Metribuzin-desamino	W-PESLMS02	0.050	µg/L	<0.050	---
Metsulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Molinate	W-PESLMS02	0.050	µg/L	<0.050	---
Monocrotophos	W-PESLMS02	0.050	µg/L	<0.050	---
Monolinuron	W-PESLMS02	0.050	µg/L	<0.050	---
Monuron	W-PESLMS02	0.050	µg/L	<0.050	---
Napropamide	W-PESLMS02	0.050	µg/L	<0.050	---
Naptalam	W-PESLMS02	0.050	µg/L	<0.050	---
Neburon	W-PESLMS02	0.050	µg/L	<0.050	---
Nicosulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Nuarimol	W-PESLMS02	0.050	µg/L	<0.050	---
Omethoate	W-PESLMS02	0.050	µg/L	<0.050	---
Oxadixyl	W-PESLMS02	0.050	µg/L	<0.050	---
Oxamyl	W-PESLMS02	0.050	µg/L	<0.050	---
Paclobutrazol	W-PESLMS02	0.050	µg/L	<0.050	---
Paraoxon-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Paraoxon-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Parathion-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Penconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Pencycuron	W-PESLMS02	0.050	µg/L	<0.050	---
Pendimethalin	W-PESLMS02	0.050	µg/L	<0.050	---
Phorate	W-PESLMS02	0.050	µg/L	<0.050	---
Phosalone	W-PESLMS02	0.050	µg/L	<0.050	---
Phosmet	W-PESLMS02	0.050	µg/L	<0.050	---
Phosphamidon	W-PESLMS02	0.050	µg/L	<0.050	---
Picloram	W-PESLMS04	0.050	µg/L	<0.050	---
Picoxystrobin	W-PESLMS02	0.050	µg/L	<0.050	---
Pirimicarb	W-PESLMS02	0.050	µg/L	<0.050	---



Pirimiphos-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Pirimiphos-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Pretilachlor	W-PESLMS02	0.050	µg/L	<0.050	---
Primisulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Prochloraz	W-PESLMS02	0.050	µg/L	<0.050	---
Prodiamine	W-PESLMS02	0.050	µg/L	<0.050	---
Profenofos	W-PESLMS02	0.050	µg/L	<0.050	---
Promecarb	W-PESLMS02	0.050	µg/L	<0.050	---
Prometon	W-PESLMS02	0.050	µg/L	<0.050	---
Prometryn	W-PESLMS02	0.050	µg/L	<0.050	---
Propachlor	W-PESLMS02	0.050	µg/L	<0.050	---
Propamocarb	W-PESLMS02	0.050	µg/L	<0.050	---
Propanil	W-PESLMS02	0.050	µg/L	<0.050	---
Propaquizafop	W-PESLMS02	0.050	µg/L	<0.050	---
Propazine	W-PESLMS02	0.050	µg/L	<0.050	---
Propham	W-PESLMS02	0.050	µg/L	<0.050	---
Propiconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Propoxur	W-PESLMS02	0.050	µg/L	<0.050	---
Propoxycarbazone-sodium	W-PESLMS02	0.050	µg/L	<0.050	---
Propyzamide	W-PESLMS02	0.050	µg/L	<0.050	---
Prosulfocarb	W-PESLMS02	0.050	µg/L	<0.050	---
Prothioconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Pyribenzoxim	W-PESLMS02	0.050	µg/L	<0.050	---
Pyrimethanil	W-PESLMS02	0.050	µg/L	<0.050	---
Pyriproxifen	W-PESLMS02	0.050	µg/L	<0.050	---
Quinlorac	W-PESLMS02	0.050	µg/L	<0.050	---
Quinmerac	W-PESLMS02	0.050	µg/L	<0.050	---
Quinoxifen	W-PESLMS02	0.050	µg/L	<0.050	---
Quizalofop	W-PESLMS02	0.050	µg/L	<0.050	---
Rimsulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Sebuthylazine	W-PESLMS02	0.050	µg/L	<0.050	---
Secbumeton	W-PESLMS02	0.050	µg/L	<0.050	---
Sethoxydim	W-PESLMS02	0.050	µg/L	<0.050	---
Simazine	W-PESLMS02	0.050	µg/L	<0.050	---
Simazine-2-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---
Simetryn	W-PESLMS02	0.050	µg/L	<0.050	---
Spiroxamine	W-PESLMS02	0.050	µg/L	<0.050	---
Sulfosulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Tebuconazole	W-PESLMS02	0.050	µg/L	<0.050	---
Tebuthiuron	W-PESLMS02	0.050	µg/L	<0.050	---
Teflubenzuron	W-PESLMS02	0.050	µg/L	<0.050	---
Terbuthylazine	W-PESLMS02	0.050	µg/L	<0.050	---
Terbuthylazine-desethyl	W-PESLMS02	0.050	µg/L	<0.050	---
Terbuthylazine-desethyl-2-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---
Terbuthylazine-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---
Terbutryn	W-PESLMS02	0.050	µg/L	<0.050	---
Thiabendazole	W-PESLMS02	0.050	µg/L	<0.050	---
Thiamethoxam	W-PESLMS02	0.050	µg/L	<0.050	---



Thifensulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Thiobencarb	W-PESLMS02	0.050	µg/L	<0.050	---
Thiophanate-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Triadimefon	W-PESLMS02	0.050	µg/L	<0.050	---
Triadimenol	W-PESLMS02	0.050	µg/L	<0.050	---
Tri-allate	W-PESLMS02	0.050	µg/L	<0.050	---
Triasulfuron	W-PESLMS02	0.050	µg/L	<0.050	---
Triazophos	W-PESLMS02	0.050	µg/L	<0.050	---
Tribenuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Triclopyr	W-PESLMS04	0.050	µg/L	<0.050	---
Triclosan	W-PESLMS04	0.050	µg/L	<0.050	---
Tricyclazole	W-PESLMS02	0.050	µg/L	<0.050	---
Trifloxysulfuron-sodium	W-PESLMS02	0.050	µg/L	<0.050	---
Triflusulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---
Triforine	W-PESLMS02	0.050	µg/L	<0.050	---
Triticonazole	W-PESLMS02	0.050	µg/L	<0.050	---

If no sampling time is provided, the sampling time will default 00:00 on the date of sampling. If no sampling date is provided, delivery date in brackets without a time component will be displayed instead. Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty

The end of result part of the certificate of analysis

Brief Method Summaries

Analytical Methods	Method Descriptions
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
W-OCPECD01	CZ_SOP_D06_03_169 (CSN EN ISO 6468, US EPA 8081, DIN 38407-3, samples prepared as per CZ_SOP_D06_03_P01 chap. 9.1, CZ_SOP_D06_03_P02 chap. 9.1) Determination of organochlorine pesticides and other halogen compounds (2) by gas chromatography method with ECD detection and calculation of organochlorine pesticides and other halogen compounds sums from measured values.
W-PESGMS01	CZ_SOP_D06_03_184 (US EPA 8141B, US EPA 3535A, CSN EN 12918) Determination of pesticides by gas chromatography method with MS or MS/MS detection and calculation of pesticides sums from measured values
W-PESLMS02	CZ_SOP_D06_03_183.A (US EPA 535, US EPA 1694) Determination of pesticides, pesticide metabolites, drug residues and other pollutants by liquid chromatography method with MS/MS detection and calculation of pesticides, pesticide metabolites, drug residues and other pollutants sums from measured values. The method has been modified within a flexible scope of accreditation, see Certificate of Accreditation No. 333/2018 dated 27th June 2018. It refers to parameter: Simazine-desethyl.
W-PESLMS04	CZ_SOP_D06_03_182.A (DIN 38407-35) Determination of acidic herbicides, drug residues and other pollutants by liquid chromatography method with MS/MS detection and calculation of acidic herbicides, drug residues and other pollutants sums from measured values.

A `` symbol preceding any method indicates laboratory or subcontractor non-accredited test. In the case when a procedure belonging to an accredited method was used for non-accredited matrix, would apply that the reported results are non-accredited. Please refer to General Comment section on front page for information. If the report contains subcontracted analysis, those are made in a subcontracted laboratory outside the laboratories ALS Czech Republic, s.r.o.

The calculation methods of summation parameters are available on request in the client service.